



GOLDFILLED

INDEX

WEIGHT COMPARISONS	5
PLATING	5
NICKEL SAFE AND NICKEL FREE ALLOYS	5

GOLDFILLED

SPRING RINGS	50
CLASPS	50
LOBSTER CLAW CLASPS	50
TRIGGER CLASPS	51
OVAL TRIGGER CLASPS	51
SHINY BEADS	52
BEADS	52
ONE HOLE BEADS	52
ROUNDELS	52
DISCS	52
SAUCERS	52
LASER CUT BEADS	53
BEADS	53
ROUNDELS	53
HAMMERED BEADS	53
BEADS	53
OVALS	53
DONUTS	53
OTHER FINDINGS	54
SPLIT RINGS	54
QUALITY TAGS	54
SHINY TUBES	54
HAMMERED TUBES	54
FLAT END CAPS	55
ROUND END CAPS	55



WEIGHT COMPARISONS

	Pt.950	F.G.	22 kt	18 kt	14 kt	10 kt	9 kt	F.S.	Stg.
Pt.950	1.00	0.90	0.82	0.70	0.60	0.53	0.53	0.49	0.48
F.G.	1.11	1.00	0.91	0.78	0.67	0.59	0.58	0.54	0.54
22 kt	1.22	1.10	1.00	0.86	0.73	0.65	0.64	0.60	0.59
18 kt	1.42	1.28	1.16	1.00	0.85	0.76	0.75	0.69	0.68
14 kt	1.66	1.50	1.36	1.17	1.00	0.89	0.88	0.81	0.80
10 kt	1.88	1.69	1.54	1.32	1.13	1.00	0.99	0.92	0.90
9 kt	1.90	1.71	1.56	1.34	1.14	1.01	1.00	0.93	0.92
F.S.	2.04	1.84	1.68	1.44	1.23	1.09	1.08	1.00	0.99
Stg.	2.07	1.87	1.70	1.46	1.25	1.11	1.09	1.01	1.00

Multiply by the factor shown

i.e. if an article weighs 10 gms in 14 kt it will weigh 8.8 gms in 9 kt (10 X 0.88)

if an article weighs 5 gms in Stg Silver it will weigh 7.3 gms in 18 kt (5 X 1.46)

PLATING

All products are available with the following plating colors:

- Gold plating (hamilton color, 14 kt, 24 kt, new English)
- Rose plating
- Silver plating
- Rhodium plating
- Ruthenium plating (black color)
- Brown plating



NICKEL SAFE AND NICKEL FREE ALLOYS

White gold is available in nickel safe alloys (EU compliant) and nickel free alloys (either with silver or with palladium).

GOLDFILLED

SPRING RINGS

SUPERLIGHT WEIGHT

30



5,0 mm
g 0,061



5,5 mm
g 0,071



5,9 mm
g 0,090

STANDARD WEIGHT

30



5,0 mm
g 0,105



5,5 mm
g 0,124



5,9 mm
g 0,152



7,0 mm
g 0,21



8,0 mm
g 0,28

CLASPS

LOBSTER CLAW

LC



LC0 - 8,4 mm
g 0,20



LC1 - 10,1 mm
g 0,32



LC2 - 11,7 mm
g 0,45



LC3 - 13,6 mm
g 0,70



LC4 - 16,1 mm
g 0,95

LOBSTER CLAW - with jump ring

LC
WR



LC0 WR - 8,4 mm
g 0,23



LC1 WR - 10,1 mm
g 0,34



LC2 WR - 11,7 mm
g 0,50



LC3 WR - 13,6 mm
g 0,74



LC4 WR - 16,1 mm
g 1,05

Available in:

1/20 14k
1/20 12k

GOLDFILLED

CLASPS

NTC

TRIGGER CLASPS



NTC1 - 8,2 mm
g 0,21



NTC2 - 10,0 mm
g 0,35



NTC3 - 12,0 mm
g 0,59

NTC
WR

TRIGGER CLASPS - with jump ring



NTC1 WR - 8,2 mm
g 0,22



NTC2 WR - 10,0 mm
g 0,40



NTC3 WR - 12,0 mm
g 0,70

TC

prodotto
esclusivo

OVAL TRIGGER CLASPS



TC1 - 9,1 mm
g 0,24



TC2 - 11,4 mm
g 0,52



TC3 - 13,1 mm
g 0,78

GOLDFILLED

SHINY



small hole

large hole

SB

BEADS

SB - 2,0 mm hole 0,9 mm	SB - 2,5 mm hole 0,9 mm hole 1,2 mm	SB - 3,0 mm hole 0,9 mm hole 1,2 mm hole 1,5 mm	SB - 4,0 mm hole 1,5 mm hole 1,8 mm	SB - 5,0 mm hole 1,5 mm hole 2,2 mm	SB - 6,0 mm hole 1,8 mm hole 2,4 mm	SB - 7,0 mm hole 1,8 mm hole 2,7 mm	SB - 8,0 mm hole 2,0 mm hole 2,5 mm hole 3,0 mm
g 0,018	g 0,030	g 0,041	g 0,076	g 0,13	g 0,32	g 0,45	g 0,67

OSB

ONE HOLE BEADS

OSB - 3,0 mm hole 0,9 mm	OSB - 4,0 mm hole 0,9 mm	OSB - 5,0 mm hole 0,9 mm	OSB - 6,0 mm hole 0,9 mm
g 0,041	g 0,070	g 0,124	g 0,266

SR

ROUNDELS

SR - 3,0 mm hole 1,2 mm	SR - 4,0 mm hole 1,5 mm	SR - 5,0 mm hole 1,8 mm	SR - 6,0 mm hole 2,0 mm
g 0,05	g 0,09	g 0,15	g 0,29

SD

DISCS

SD - 3,0 mm hole 1,3 mm	SD - 4,0 mm hole 1,6 mm	SD - 5,0 mm hole 2,0 mm	SD - 6,0 mm hole 2,1 mm
g 0,039	g 0,071	g 0,12	g 0,32

SS

SAUCERS

SS - 3,0 mm hole 1,0 mm	SS - 4,0 mm hole 1,4 mm	SS - 5,0 mm hole 1,4 mm	SS - 6,0 mm hole 1,5 mm
g 0,042	g 0,076	g 0,13	g 0,32

GOLDFILLED

LASER CUT

LB

BEADS



LB - 3,0 mm
hole 0,9 mm
hole 1,2 mm
hole 1,5 mm

g 0,042



LB - 4,0 mm
hole 1,5 mm
hole 1,8 mm

g 0,076



LB - 5,0 mm
hole 1,5 mm
hole 2,2 mm

g 0,13



LB - 6,0 mm
hole 1,8 mm
hole 2,4 mm

g 0,32



LB - 7,0 mm
hole 1,8 mm
hole 2,7 mm

g 0,46



LB - 8,0 mm
hole 2,0 mm
hole 3,0 mm

g 0,67

LR

ROUNDELS



LR - 3,0 mm
hole 1,2 mm

g 0,039



LR - 4,0 mm
hole 1,5 mm

g 0,071



LR - 5,0 mm
hole 1,8 mm

g 0,12



LR - 6,0 mm
hole 2,0 mm

g 0,29

HAMMERED

HB

BEADS



HB - 3,0 mm
hole 1,2 mm

g 0,045



HB - 4,0 mm
hole 1,5 mm

g 0,072



HB - 5,0 mm
hole 1,5 mm

g 0,13



HB - 6,0 mm
hole 1,8 mm

g 0,32

HO

OVALS



HO - Ø 3,0 x 4,6 mm
hole 1,3 mm

g 0,089



HO - Ø 4,0 x 7,0 mm
hole 1,5 mm

g 0,18



HO - Ø 5,0 x 8,0 mm
hole 2,0 mm

g 0,28

HDR

DONUTS



HDR - 3,0 mm
hole 1,2 mm

g 0,049



HDR - 4,0 mm
hole 1,5 mm

g 0,096



HDR - 5,0 mm
hole 1,8 mm

g 0,17



HDR - 6,0 mm
hole 2,5 mm

g 0,38

GOLDFILLED

OTHER FINDINGS


SPLIT RINGS

SR




QUALITY TAGS

QT




SHINY TUBES

ST



HAMMERED TUBES

HT



OTHER FINDINGS

CAP

FLAT END CAPS



CAP - 1,0 mm
g 0,025



CAP - 1,5 mm
g 0,032



CAP - 2,0 mm
g 0,056



CAP - 2,5 mm
g 0,067



CAP - 3,0 mm
g 0,075



CAP - 4,0 mm
g 0,122



CAP - 5,0 mm
g 0,19



CAP - 6,0 mm
g 0,23



CAP - 7,0 mm
g 0,29



CAP - 8,0 mm
g 0,36



CAP - 10,0 mm
g 0,46

CAT

ROUND END CAPS



CAT - 1,5 mm
g 0,060



CAT - 2,0 mm
g 0,089



CAT - 2,5 mm
g 0,110



CAT - 3,0 mm
g 0,141



CAT - 4,0 mm
g 0,24



CAT - 5,0 mm
g 0,31



www.fior.it info@fior.it

head office: via xxv aprile, 14 - 52019 ponticino (AR) italy
tel +39 0575 898341 - fax +39 0575 898798

branch: via salita brocchi, 24 - 36061 bassano del grappa (VI) italy
tel +39 0424 227872 - fax +39 0424 521963



MADE IN TUSCANY

Tuscany means reliability, tradition in serving, innovation and culture.
These particular qualities distinguish
our production.

All our finishings of Italian design are entirely manufactured by us using
machinery made by ourselves.

SOCIAL RESPONSIBILITY

Fior spa adopted a Social Responsibility Management System
and obtained RJC COP and RJC COC Certifications.

The RJC Code of Practice (CoP) provides a common Standard
for ethical, social, human rights and environmental practices.

The RJC Chain of Custody (CoC) Standard, applicable to silver, gold and platinum,
aims to support responsible sourcing of these precious metals in the jewellery supply chain.





www.fior.it